



maxepoxy

PROTECTION & REPAIR TECHNOLOGY



MAXCORROSION



MAXWEAR



MAXFRICTION



MAXABRASION



MAXCAVITATION



MAXCHEMICAL



MAXIMPACT



MAXTEMPERATURE



MAXEROSION



MAXEPOXY products reduce maintenance costs and downtime, extending the life of assets with easy application, promoting excellent performance to restore metallic surfaces while increasing abrasion resistance, chemical resistance and mechanical properties.

maxepoxy
.com



technofink
.com



maxepoxy

PROTECTION & REPAIR TECHNOLOGY

MAXepoxy products are special high performance cold-welding polymers used in corrective, preventive and predictive maintenance in permanent repairs providing great mechanical and chemical resistance.

MAXepoxy high performance polymers are easy to apply and cost-effective, allowing repairs of different materials such as steel, cast iron, aluminum, bronze, ceramic, etc. High-performance polymers can be used to reconstruct metallic surfaces, repairs, protection and emergency maintenance of a variety of defects such as: cracks, erosion, manufacturing defects, corrosion, cavitation and chemical attacks. Used by Mining Industry, Refineries, Steel Mills, Petrochemical, Pulp and Paper, Oil & Gas (On/Offshore), etc.



METALLIC REPAIR
AND RECONSTRUCTION

MAX 5111 - MAX 5411
MAX 5511 - AND MORE!

ABRASION RESISTANCE

MAX 1211 - MAX 1311

MAX 1511 - MAX 1512

AND MORE!

CHEMICAL RESISTANCE

MAX 2232 - MAX 2332

MAX 2361

IMPACT RESISTANCE

MAX 1711





Internal coating of a concentrated copper tank.



Bronze pump rotor refurbishment



Coating of ditches



Repair of heat exchanger tubesheet



Repair of pump casings



Repair and coating of pressure vessels



Refurbishment of valves



Coating of pump rotor



maxepoxy.com



maxepoxy

PROTECTION & REPAIR TECHNOLOGY



MAXCORROSION



MAXWEAR



MAXFRICTION



MAXABRASION



MAXCAVITATION



MAXCHEMICAL



MAXIMPACT



MAXTEMPERATURE



MAXEROSION



maxepoxy
.com



technofink

.com

21625 Rhodes Rd, Spring,
Texas, 77388 USA
T: +1 346 331 6200
info@technofink.com



REPRESENTATIVE